

Sheet 1 of 1

<b>SUBSTITUTE FORM PTO-1449</b> (MODIFIED)  <b>U.S. DEPARTMENT OF COMMERCE</b> <b>PATENT AND TRADEMARK OFFICE</b>  <b>INFORMATION DISCLOSURE</b> <b>STATEMENT BY APPLICANT</b> (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	<b>Attorney Docket No.</b>	00786/397003
	<b>Serial No.</b>	10/661,426
	<b>Applicant</b>	Jen Sheen et al.
	<b>Filing Date</b>	September 12, 2003
	<b>Group</b>	1638
	<b>IDS Filed</b>	May 25, 2006

U.S. PATENT DOCUMENTS						
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant	Class	Subclass	Filing Date (If Appropriate)

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION						
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
AK	Hamel et al., "Ancient Signals: Comparative Genomics of Plant MAPK and MAPKK Gene Families," <i>Trends in Plant Science</i> 11:192-198, 2006.
AK	Ichimura et al., "Mitogen-Activated Protein Kinase Cascades in Plants: A New Nomenclature," <i>Trends in Plant Science</i> 7:301-308, 2002.
AK	Tena et al., "Plant Mitogen-Activated Protein Kinase Signaling Cascades," <i>Current Opinion in Plant Biology</i> 4:392-400, 2001.
AK	Yamamizo et al., "Rewiring Mitogen-Activated Protein Kinase Cascade by Positive Feedback Confers Potato Blight Resistance," <i>Plant Physiology</i> 140:681-692, 2006.

<b>EXAMINER</b>	/Anne Kubelik/	<b>DATE CONSIDERED</b>	08/07/2006
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.			



Sheet 1 of 3

SUBSTITUTE FORM PTO-1449 (MODIFIED)  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	Attorney Docket No.	00786/397003
	Serial No.	10/661,426
	Applicant	SHEEN et al.
	Filing Date	September 12, 2003
	Group	1638
	IDS Filed	May 17, 2006
	Customer No.	21559

U.S. PATENTS

Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date (If Appropriate)

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
AK	EP 1078985 A2	02/28/2001	EPO			No

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)

AK	Aderem et al., "Toll-like receptors in the induction of the Innate Immune response," <i>Nature</i> 406:782-787 (2000).
	Asai et al., "Fumonisin B1-induced cell death in <i>Arabidopsis</i> protoplasts requires jasmonate-, ethylene-, and salicylate-dependent signaling pathways," <i>Plant Cell</i> 12:1823-1835 (2000).
	Asai et al., "MAP kinase signalling cascade in <i>Arabidopsis</i> innate immunity," <i>Nature</i> 415:977-983 (2002).
	Blume et al., "Receptor-mediated increase in cytoplasmic free calcium required for activation of pathogen defense in parsley," <i>Plant Cell</i> 12:1425-1440 (2000).
	Chiu et al., "Engineered GFP as a vital reporter in plants," <i>Curr. Biol.</i> 6:325-330 (1996).
	Du et al., "Identification of genes encoding receptor-like protein kinases as possible targets of pathogen- and salicylic acid induced WRKY DNA-binding proteins in <i>Arabidopsis</i> ," <i>Plant J.</i> 24:837-847 (2000).
	Durrant et al., "cDNA-AFLP reveals a striking overlap in race-specific resistance and wound response gene expression profiles," <i>Plant Cell</i> 12:963-977 (2000).
	Eulgem et al., "The WRKY superfamily of plant transcription factors," <i>Trends Plant Sci.</i> 5:199-206 (2000).
	Eulgem et al., "Early nuclear events in plant defence signalling: rapid gene activation by WRKY transcription factors," <i>EMBO J.</i> 18:4689-4699 (1999).
	Felix et al., "Plants have a sensitive perception system for the most conserved domain of bacterial flagellin," <i>Plant J.</i> 18:265-276 (1999).
	Gomez-Gomez et al., "A single locus determines sensitivity to bacterial flagellin in <i>Arabidopsis thaliana</i> ," <i>Plant J.</i> 18:277-284 (1999).
	Gomez-Gomez et al., "FLS2: an LRR receptor-like kinase involved in the perception of the bacterial elicitor flagellin in <i>Arabidopsis</i> ," <i>Mol. Cell</i> 5:1003-1011 (2000).
AK	Hirt et al., "Receptor-Mediated MAP Kinase Activation in Plant Defense," (ed. Hirt, H.) 27:85-93 (Springer, Heidelberg, 2000).

EXAMINER	/Anne Kubelik/	DATE CONSIDERED	08/07/2006
----------	----------------	-----------------	------------

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449 (MODIFIED)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Attorney Docket No. 00786/397003 Serial No. 10/661,426 Applicant SHEEN et al. Filing Date September 12, 2003 Group 1638 IDS Filed May 17, 2006 Customer No. 21559	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)					
(37 C.F.R. § 1.98(b))					
U.S. PATENTS					
Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Filing Date (If Appropriate)
FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION					
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Translation (Yes/No)
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)					
AK	Ichimura et al., "Molecular cloning and characterization of three cDNAs encoding putative mitogen-activated protein kinase kinases (MAPKKs) in <i>Arabidopsis thaliana</i> ," <i>DNA Res.</i> 5:341-348 (1998).				
	Jouanin et al., "Plant MAP kinase kinase kinases structure, classification and evolution," <i>Gene</i> 233:1-11 (1999).				
	Kovtun et al., "Functional analysis of oxidative stress-activated mitogen-activated protein kinase cascade in plants," <i>Proc. Natl. Acad. Sci., USA</i> 97:2940-2945 (2000).				
	Kovtun et al., "Suppression of auxin signal transduction by a MAPK cascade in higher plants," <i>Nature</i> 395:716-720 (1998).				
	Ligterink et al., "Receptor-mediated activation of a MAP kinase in pathogen defense of plants," <i>Science</i> 276:2054-2057 (1997).				
	Khush et al., "Genes that fight infection: what the <i>Drosophila</i> genome says about animal immunity," <i>Trends Genet.</i> 16:442-449 (2000).				
	Maleck et al., "The transcriptome of <i>Arabidopsis thaliana</i> during systemic acquired resistance," <i>Nature Genet.</i> 26:403-410 (2000).				
	Madhani et al., "The riddle of MAP kinase signaling specificity," <i>Trends Genet.</i> 14:151-155 (1998).				
	Matsuoka et al., "Activation of AtMEK1, an <i>Arabidopsis</i> mitogen-activated protein kinase kinase, <i>in vitro</i> and <i>in vivo</i> : analysis of active mutants expressed in <i>E. coli</i> and generation of the active form in stress response in seedlings," <i>Plant J.</i> 29: 637-647 (2002).				
	Mizoguchi et al., "Results and Problems in Cell Differentiation: MAP Kinases in Plant Signal Transduction," (ed. Hirt, H.) <i>Results Probl Cell Differ.</i> "MAP Kinase Cascades in Arabidopsis: Their Roles in Stress and Hormone Responses" 27:29-38 (Springer, Heidelberg, 2000).				
	Nimchuk et al., "Eukaryotic fatty acylation drives plasma membrane targeting and enhances function of several type III effector proteins from <i>Pseudomonas syringae</i> ," <i>Cell</i> 101:353-363 (2000).				
	Nöhse et al., "Microbial elicitors induce activation and dual phosphorylation of the <i>Arabidopsis thaliana</i> MAPK 6," <i>J. Biol. Chem.</i> 275:7521-7526 (2000).				
	Nurnberger et al., "Signal transmission in the plant immune response," <i>Trends Plant Sci.</i> 6:372-379 (2001).				
V	Patharkar et al., "A stress-induced calcium-dependent protein kinase from <i>Mesembryanthemum crystallinum</i> phosphorylates a two-component pseudo-response regulator," <i>Plant J.</i> 24:679-691 (2000).				
AK	Peck et al., "Directed proteomics identifies a plant-specific protein rapidly phosphorylated in response to bacterial and fungal elicitors," <i>Plant Cell</i> 13:1467-1475 (2001).				
EXAMINER /Anne Kubelik/			DATE CONSIDERED 08/07/2006		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.					

SUBSTITUTE FORM PTO-1449 (MODIFIED)  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))		Attorney Docket No. 00786/397003  Serial No. 10/661,426  Applicant SHEEN et al.  Filing Date September 12, 2003  Group 1638  IDS Filed May 17, 2006  Customer No. 21559				
<b>U.S. PATENTS</b>						
Examiner's Initials	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date (If Appropriate)
<b>FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION</b>						
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
<b>OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)</b>						
AK	Schenk et al., "Coordinated plant defense responses in <i>Arabidopsis</i> revealed by microarray analysis," <i>Proc. Natl. Acad. Sci., U.S.A.</i> 97:11655-11660 (2000).					
↓	Sheen, "Mutational analysis of protein phosphatase 2C involved in abscisic acid signal transduction in higher plants," <i>Proc. Natl. Acad. Sci., USA</i> 95:975-980 (1998).					
↓	Sheen et al., "Ca <sup>2+</sup> -dependent protein kinases and stress signal transduction in plants," <i>Science</i> 274:1900-1902 (1996).					
↓	Swiderski et al., "The <i>Arabidopsis</i> PBS1 resistance gene encodes a member of a novel protein kinase subfamily," <i>Plant J.</i> 26:101-112 (2001).					
↓	Tena et al., "Plant mitogen-activated protein kinase signaling cascades," <i>Curr. Opin. Plant Biol.</i> 4:392-400 (2001).					
↓	Xiang et al., "A mini binary vector series for plant transformation," <i>Plant Mol. Biol.</i> 40:711-717 (1999).					
↓	Xing et al., "Activation of tomato PR and wound-related genes by a mutagenized tomato MAP kinase kinase through divergent pathways," <i>Plant Mol. Biol.</i> 46:109-120 (2001).					
AK	Yang et al., "Activation of a mitogen-activated protein kinase pathway is involved in disease resistance in tobacco," <i>Proc. Natl. Acad. Sci., U.S.A.</i> 98:741-746 (2001).					
EXAMINER		/Anne Kubelik/		DATE CONSIDERED		08/07/2006
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.						